



plankzo

ARCHITECTURAL WOOD SURFACES
COLLECTION 2026 · MADE IN PORTUGAL

Contents

- | | |
|----|--|
| 03 | The Atelier
Who we are and what we stand for |
| 04 | Our Approach
Material-first design and bespoke capability |
| 05 | The Mosaic Collection
Six architectural parquet compositions |
| 13 | Colours & Finishes
Tones, textures and surface treatments |
| 14 | The Linear Collection
Fifteen colourways of long-format planks |
| 31 | The Herringbone Collection
A classic pattern in fifteen colourways |
| 48 | Technical Specifications
Construction, dimensions and tolerances |
| 49 | Installation & Care
Guidance for lasting performance |
| 50 | Working With Plankzo
From consultation to delivery |
| 51 | Contact
Studio, sales and specification support |
-

“If it doesn’t feel real, it doesn’t belong in the space.”

The principle that guides every Plankzo surface — from material selection to final finish.



THE ATELIER

Wood that feels real, not manufactured.

Plankzo was built on a simple idea: most wood flooring looks manufactured — ours should not. We create high-end wood surfaces that preserve the authenticity of the material while delivering the consistency required for modern architectural spaces.

Instead of masking the natural character of wood, our finishes are designed to enhance it — bringing out the grain, texture and depth that make each surface feel real, balanced and intentional.

Guided by a material-first approach, every Plankzo surface is developed to integrate seamlessly into refined interiors while maintaining durability and precision. We work with architects, designers and developers who expect more from materials — surfaces that contribute to the atmosphere of a space without overpowering it.

Built on over half a century of industry experience, Plankzo is a family-owned Portuguese atelier rooted in craftsmanship, material knowledge and a long-standing passion for wood.

DESIGNED FOR

High-end residential projects

Interior designers & architects

Hospitality & commercial spaces

Material first. Always.

At Plankzo, we believe wood should feel authentic, refined and architecturally intentional. Every collection is developed to preserve the natural depth, texture and movement of real wood while delivering the consistency modern interiors demand.

Our finishes are developed to enhance the natural grain rather than hide it; to create depth through texture, not artificial shine; and to age beautifully over time. Every surface is built to balance aesthetics, durability and tactile experience.

“Surfaces created to age naturally and develop character over time.”



WHAT DEFINES PLANKZO

Authentic finishes

Natural treatments that reveal the character of the wood rather than conceal it.

Architectural design

Compositions created for refined contemporary interiors.

Engineered precision

Multi-layer European Oak construction developed for stability and durability.

Bespoke capability

Custom tones, dimensions, patterns and mosaic compositions, built with you.

Portuguese craft

Designed and crafted in Portugal with attention to detail and finishing quality.

Lasting character

Surfaces designed to age naturally and gain depth with use.



SECTION ONE

The Mosaic Collection

Precise, architectural compositions named after Portuguese literary figures — Camões, Garrett, Pessoa, Régio, Torga and Virgílio. Each pattern is designed to highlight the natural character of the material while adding rhythm, texture and visual depth that standard flooring cannot achieve.

SIX PATTERNS · SIX COLOURWAYS · STANDARD OR CUSTOM SIZES

Six compositions

Each panel transforms wood into a crafted, contemporary surface — distinctive, refined and designed to elevate the overall character of the interior. Every pattern is available in six colours and in standard or custom dimensions.



Camões

REF PLKM-1



Garrett

REF PLKM-2



Pessoa

REF PLKM-3



Régio

REF PLKM-4



Torga

REF PLKM-5




Virgílio

REF PLKM-6

Camões Mosaic

A structured interplay of interlocking geometries creates a composition that balances symmetry with subtle movement. Each panel is composed around a central square set on the diagonal, framed by angled planks that create a continuous, woven effect across the surface. The repetition of this module establishes a steady rhythm, while variations in grain and tone soften its precision.



PANEL FORMAT
800 × 800 mm

WOOD SPECIES
European Oak, engineered

THICKNESS
16 mm · custom on request 7.0 kg

COLOURWAYS
6 options · see page 13

WEIGHT PER PANEL
FINISHES
Natural Oil · UV Oil · Matte Lacquer

Garrett Mosaic

A faceted arrangement of converging segments creates a refined starburst effect within each panel. Repeated across the floor, these geometric modules generate movement, depth and a subtle play of light through changing grain direction. The precision of the layout is balanced by the natural variation of the timber, giving the pattern warmth and definition.



PANEL FORMAT
800 × 800 mm

WOOD SPECIES
European Oak, engineered

THICKNESS
16 mm · custom on request 7.0 kg

COLOURWAYS
6 options · see page 13

WEIGHT PER PANEL
FINISHES
Natural Oil · UV Oil · Matte Lacquer

Pessoa Mosaic

A composed radial geometry unfolds from a central point, forming a refined star-like configuration within each panel. Angled planks intersect with a subtle underlying grid, creating layers of direction and depth. This interplay between structure and variation gives the pattern a sense of precision while allowing the natural character of the wood to remain visible.



PANEL FORMAT
800 × 800 mm

WOOD SPECIES
European Oak, engineered

THICKNESS
16 mm · custom on request

COLOURWAYS
6 options · see page 13

WEIGHT PER PANEL
7.0 kg

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Régio Mosaic

Intersecting diagonal bands and a framed central lozenge define this composition, creating a pattern with clear geometry and balanced movement. Each panel combines broad surfaces with mitred lines, allowing the contrast of direction and grain to shape the overall design. Repeated across the floor, the composition forms a continuous network that feels fluid and harmonious.



PANEL FORMAT
650 × 650 mm

WOOD SPECIES
European Oak, engineered

THICKNESS
16 mm · custom on request

COLOURWAYS
6 options · see page 13

WEIGHT PER PANEL
4.0 kg

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Torga Mosaic

Inspired by traditional parquet craftsmanship, this composition introduces refined vertex detailing that reveals a secondary star motif when panels are laid together. The layered geometry shifts between two readings — a familiar framed square at close view, and a larger rhythmic pattern across the room. The result is precise and composed, with subtle complexity emerging through repetition.



PANEL FORMAT
800 × 800 mm

WOOD SPECIES
European Oak, engineered

THICKNESS
16 mm · custom on request

COLOURWAYS
6 options · see page 13

WEIGHT PER PANEL
7.0 kg

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Virgílio Mosaic

A strong recessed geometry defines this composition, where mitred planks frame a central square and create the illusion of depth within each panel. Its layout relies on clean symmetry and precise proportion, using directional grain and angled joins to give the surface a sculptural character. The repetition of the module forms a calm, ordered rhythm across the floor.



PANEL FORMAT
600 × 600 mm

WOOD SPECIES
European Oak, engineered

THICKNESS
16 mm · custom on request 3.2 kg

COLOURWAYS
6 options · see page 13

WEIGHT PER PANEL
3.2 kg

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Colours & finishes

Every mosaic pattern is available in six colourways, each developed to preserve the depth and movement of the oak. Surfaces can be specified brushed or smooth, and finished in natural oil, UV oil or matte lacquer — bespoke tones are developed on request.



Natural Oak



Café Noir



Beige Dune



Sandstone



Sunburst




Carbon Oak

SURFACE & FINISH



Garrett in Natural — brushed surface, matte finish



Garrett in Natural — smooth surface, glossy finish



SECTION TWO

The Linear Collection

A clean, timeless foundation for contemporary interiors. Designed to highlight the natural grain and continuity of the wood, these long-format planks create a sense of flow and understated elegance — versatile, durable and effortlessly architectural.

FIFTEEN COLOURWAYS · LONG-FORMAT PLANKS · STANDARD OR CUSTOM SIZES

Fifteen colourways

With refined finishes and precise consistency, the Linear Collection balances simplicity and character. Each colourway is shown in detail on the pages that follow.



PLKP-01
Refined Light Oak



PLKP-02
Pale Natural Oak



PLKP-03
Smoked Grey Oak



PLKP-04
Golden Rustic Oak




PLKP-05
Soft Neutral Oak




PLKP-06
Warm Honey Oak




PLKP-07
Deep Smoked Oak



PLKP-08
Soft Beige Oak



PLKP-09
Scandinavian Light Oak



PLKP-10
Warm Natural Oak



PLKP-11
Rich Caramel Oak




PLKP-12
Earthy Brown Oak



PLKP-13
Grey-Beige Oak



PLKP-14
Pale Contemporary Oak



PLKP-15
Dark Walnut-Tone Oak

Refined Light Oak

A refined light oak surface defined by soft grain movement and a calm, contemporary tone. Its balanced texture and muted warmth create an understated foundation that enhances natural light while maintaining a sophisticated architectural presence.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible


WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Pale Natural Oak

Pale oak tones combine with subtle organic variation to create a relaxed and timeless character. The gentle texture and clean visual rhythm bring warmth and softness to interiors without compromising refinement.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible


WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Smoked Grey Oak

Defined by smoky undertones and pronounced grain detail, this surface introduces depth and contrast while maintaining a restrained elegance. Its cooler character lends itself naturally to contemporary interiors and atmospheric spaces.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible


WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Golden Rustic Oak

Rich golden hues and expressive natural markings give this floor a warm, grounded identity. The visible knots and tonal variation enhance the authenticity of the material, creating a surface with strong organic presence.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Soft Neutral Oak

A soft neutral palette with delicate grain transitions creates a calm and seamless appearance. Its understated texture allows surrounding materials and architecture to remain the focus of the space.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Warm Honey Oak

Characterised by warm honey tones and flowing grain movement, this surface creates a welcoming and tactile atmosphere. The natural variation of the timber adds richness while preserving a clean, contemporary composition.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible


WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Deep Smoked Oak

A deep smoked finish combined with pronounced grain texture gives this floor a bold architectural presence. Its darker tone introduces contrast and sophistication, creating interiors with depth, warmth and visual structure.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible


WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Soft Beige Oak

This surface balances soft beige undertones with subtle organic texture, creating a relaxed and contemporary aesthetic. The restrained variation and natural finish allow the wood to feel authentic, calm and effortlessly refined.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Scandinavian Light Oak

Defined by its light Scandinavian character, this surface reflects natural light while maintaining visible grain definition and warmth. The clean tonality creates an airy atmosphere suited to minimalist and modern interiors.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Warm Natural Oak

Warm natural tones and understated grain movement create a balanced composition that feels both timeless and versatile. Its refined texture introduces softness and continuity, integrating seamlessly into contemporary spaces.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Rich Caramel Oak

Rich caramel tones and expressive natural variation bring warmth and depth to the interior. The pronounced texture enhances the authenticity of the wood while maintaining a composed architectural character.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Earthy Brown Oak

Earthy brown undertones and layered grain detail give this floor a refined sense of maturity and depth. Its balanced contrast and tactile finish create a surface that feels grounded, elegant and enduring.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Grey-Beige Oak

Defined by muted grey-beige tones and subtle linear grain, this design offers a contemporary interpretation of natural oak. The restrained palette creates a calm visual flow suited to modern architectural environments.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Pale Contemporary Oak

A pale contemporary surface with soft texture and minimal variation, designed to create brightness and continuity across the space. Its clean appearance enhances simplicity while preserving the natural character of the timber.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Dark Walnut-Tone Oak

A deep-toned surface combining rich walnut-inspired warmth with strong grain definition and natural depth. The dark finish creates a sophisticated atmosphere, adding contrast and permanence to refined interior spaces.



PLANK LENGTH
1500 – 2200 mm

WIDTH
140 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer



SECTION THREE


The Herringbone Collection

A classic flooring tradition reimagined for modern living. The distinctive geometric pattern creates a sense of movement and architectural character, while the natural beauty of the wood adds warmth and authenticity — a balance of heritage, elegance and contemporary sophistication.

FIFTEEN COLOURWAYS · HERRINGBONE PLANKS · STANDARD OR CUSTOM SIZES

Fifteen colourways

Crafted with precision and designed for longevity, the Herringbone Collection elevates interiors through pattern, rhythm and the natural character of European Oak. Each colourway is shown in detail on the pages that follow.



PLKP-16
Soft Natural Oak



PLKP-17
Light Natural Oak



PLKP-18
Deep Charcoal Oak




PLKP-19
Honey Oak




PLKP-20
Soft Greige Oak




PLKP-21
Caramel Oak



PLKP-22
Rich Espresso Oak



PLKP-23
Soft Taupe Oak



PLKP-24
Bright Natural Oak



PLKP-25
Golden Oak




PLKP-26
Amber Oak




PLKP-27
Deep Walnut Oak



PLKP-28
Greige Oak




PLKP-29
Airy Natural Oak



PLKP-30
Deep Chocolate Oak

Soft Natural Oak

Soft natural tones and a refined oak grain give this herringbone floor a timeless elegance. The classic pattern adds depth and movement while maintaining a calm, contemporary aesthetic.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Light Natural Oak

Light natural hues and delicate oak character define this herringbone floor. Its understated palette enhances the sense of space while adding warmth, depth and enduring sophistication.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered

Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Deep Charcoal Oak

Deep charcoal tones and subtle oak grain create a bold yet refined statement. The classic herringbone pattern adds texture and movement, bringing depth, contrast and timeless sophistication to any space.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Honey Oak

Warm honey oak tones and subtle natural character create a welcoming, timeless aesthetic. The classic herringbone pattern adds depth and texture, bringing understated elegance to any interior.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered

Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Soft Greige Oak

Soft greige tones and subtle oak character create a calm, contemporary foundation. The classic herringbone pattern adds gentle texture and movement, bringing understated elegance to any interior.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Caramel Oak

Warm caramel oak tones and natural grain detail create a rich, inviting foundation. The classic herringbone pattern adds depth and character, bringing timeless elegance to any interior.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered


Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Rich Espresso Oak

Rich espresso tones and refined oak grain create a bold, sophisticated foundation. The classic herringbone pattern adds texture and depth, bringing timeless character to contemporary interiors.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Soft Taupe Oak

Soft taupe oak tones and delicate grain detail create a calm, refined foundation. The classic herringbone pattern adds subtle texture and movement, bringing effortless elegance to any interior.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Bright Natural Oak

A light natural palette paired with delicate oak character gives this herringbone floor a refined, contemporary appeal. Its understated design enhances space, light and warmth throughout the home.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered

Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Golden Oak

Golden oak tones and subtle natural grain create a warm, inviting foundation. The classic herringbone pattern adds depth and character, bringing timeless elegance to both traditional and contemporary interiors.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Amber Oak

Warm amber oak tones and distinctive natural character create a rich, inviting foundation. The classic herringbone pattern adds depth and movement, bringing timeless elegance and warmth to any interior.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered

Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Deep Walnut Oak

Deep walnut tones and rich natural grain create a bold, sophisticated foundation. The classic herringbone pattern adds depth and texture, bringing timeless character and warmth to any interior.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Custom dimensions available on request.

Greige Oak

Soft greige oak tones and subtle grain detail create a calm, sophisticated foundation. The classic herringbone pattern adds texture and movement, bringing timeless elegance to contemporary interiors.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Airy Natural Oak

Defined by its soft natural tones and subtle oak detailing, this herringbone floor brings effortless elegance to any interior. Its bright, airy appearance creates a welcoming foundation for both contemporary and classic spaces.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Deep Chocolate Oak

Deep chocolate hues and intricate natural character bring warmth and drama to this herringbone floor. Its striking appearance pairs beautifully with both contemporary luxury and classic Art Deco-inspired spaces.



PATTERN
Herringbone

PLANK WIDTH
90 mm

THICKNESS
16 mm

UNDERFLOOR HEATING
Compatible

WOOD SPECIES
European Oak, engineered
Custom dimensions available on request.

SURFACE & EDGE
Brushed · Smooth | Micro bevel · Square

FINISHES
Natural Oil · UV Oil · Matte Lacquer

Technical specifications

BY COLLECTION

	MOSAIC	LINEAR	HERRINGBONE
Surface type	Geometric mosaic panels	Long-format planks	Herringbone planks
Format	Modular parquet panels	Straight planks	Herringbone planks
Length	600 – 800 mm, or custom	1500 – 2200 mm, or custom	Standard or custom
Width	600 – 800 mm, or custom	140 mm, or custom	90 mm, or custom
Thickness	16 mm, or custom	16 mm, or custom	16 mm, or custom
Colourways	6	15	15
Customisation	Patterns, tones, dimensions	Dimensions	Dimensions
Design focus	Geometric composition	Linear continuity	Classic pattern

ALL COLLECTIONS

Construction	Engineered wood — multi-layer structure	Finish options	Natural Oil / UV Oil / Matte Lacquer
Wood species	European Oak	Texture	Natural textured finish
Width tolerance	± 0.2 mm	Edge profile	Micro bevel / Square edge
Surface options	Brushed / Smooth	Underfloor heating	Compatible

All dimensions nominal. Custom formats, tones and compositions are developed per project — contact our team for specification support.

Installation & care

Plankzo surfaces are engineered for stability and longevity. The guidance below is general — detailed, project-specific instructions accompany every order, and our technical team is available throughout installation.

BEFORE INSTALLATION

- Allow the flooring to acclimatise in its unopened packaging, in the room where it will be installed, under normal living conditions.
- Ensure the subfloor is clean, dry, level and structurally sound before installation begins.
- Both collections are compatible with underfloor heating; follow the heating system supplier's commissioning guidelines.
- We recommend installation by an experienced wood-flooring professional, particularly for mosaic compositions.

A STABLE INDOOR CLIMATE

- Wood is a natural material that responds to its environment. A stable indoor humidity and temperature will keep the surface at its best year-round.
- Allow oiled surfaces to be refreshed periodically with a compatible maintenance oil; lacquered surfaces require only routine cleaning.

EVERYDAY CARE

- Remove dust and grit regularly with a soft brush or vacuum suitable for wood floors.
- Clean with a well-wrung, slightly damp mop and a pH-neutral cleaner formulated for wooden floors.
- Avoid standing water, steam cleaners and aggressive detergents.
- Fit felt pads beneath furniture and place mats at entrances to protect the surface.

OVER TIME

- Plankzo finishes are designed to age naturally and develop character with use.
- Local repairs and renovation are possible on oiled surfaces; our team can advise on long-term maintenance programmes for each finish.

Working with Plankzo

From custom finishes and dimensions to project guidance and sample requests, we work closely with architects, designers, developers and private clients to deliver wood surfaces tailored to each space. And if your project demands something different, we build it with you.

01 Consultation

We begin with your project — its architecture, light, palette and use — and advise on the patterns, tones and formats best suited to the space.

02 Sampling

Physical samples are available on request, allowing colour, texture and finish to be evaluated in the conditions of the project itself.

03 Custom development

Unique patterns, custom tones and finishes, and project-specific dimensions are developed in collaboration with your design team.

04 Specification support

We provide full architectural specification support — technical documentation, detailing guidance and assistance through procurement.

05 Production & delivery

Each order is crafted in Portugal with attention to detail and finishing quality, and accompanied by project-specific installation guidance.

Let's build something exceptional.



CONTACT

Start the conversation

COMPANY

Santos Azevedo & Matos Viana, Lda — “Plankzo”

WEBSITE

www.plankzo.com

EMAIL

info@plankzo.com

PHONE

+351 912 658 322

ADDRESS

Rua de Vilar n.º 41, Curvos
4740-185 Esposende, Portugal

VAT / NIPC

518749401

SERVICES

Product consultation

Custom finish development

Bespoke dimensions & patterns

Architectural specification support

Sample requests

MADE IN PORTUGAL



plankzo

WWW.PLANKZO.COM · INFO@PLANKZO.COM · MADE IN PORTUGAL